

# Package ‘tidytext’

February 19, 2018

**Type** Package

**Title** Text Mining using 'dplyr', 'ggplot2', and Other Tidy Tools

**Version** 0.1.7

**Description** Text mining for word processing and sentiment analysis using 'dplyr', 'ggplot2', and other tidy tools.

**License** MIT + file LICENSE

**LazyData** TRUE

**URL** <http://github.com/juliasilge/tidytext>

**BugReports** <http://github.com/juliasilge/tidytext/issues>

**RoxygenNote** 6.0.1

**Depends** R (>= 2.10)

**Imports** rlang, dplyr, stringr, hunspell, broom, Matrix, tokenizers, janeaustenr, purrr (>= 0.1.1), methods, stopwords

**Suggests** readr, tidyr, XML, tm, quanteda, knitr, rmarkdown, ggplot2, reshape2, wordcloud, topicmodels, NLP, scales, gutenbergr, testthat, mallet, stm

**VignetteBuilder** knitr

**NeedsCompilation** no

**Author** Gabriela De Queiroz [ctb],  
Oliver Keyes [ctb],  
David Robinson [aut],  
Julia Silge [aut, cre]

**Maintainer** Julia Silge <julia.silge@gmail.com>

**Repository** CRAN

**Date/Publication** 2018-02-19 19:46:02 UTC

**R topics documented:**

bind_tf_idf . . . . .	2
cast_sparse . . . . .	3
cast_tdm . . . . .	4
corpus_tidiers . . . . .	5
dictionary_tidiers . . . . .	6
get_sentiments . . . . .	6
get_stopwords . . . . .	7
lda_tidiers . . . . .	8
mallet_tidiers . . . . .	10
nma_words . . . . .	12
parts_of_speech . . . . .	12
sentiments . . . . .	13
stm_tidiers . . . . .	14
stop_words . . . . .	16
tdm_tidiers . . . . .	17
tidy.Corpus . . . . .	18
tidytext . . . . .	19
tidy_triplet . . . . .	19
unnest_tokens . . . . .	20

<b>Index</b>	<b>22</b>
--------------	-----------

---

bind_tf_idf	<i>Bind the term frequency and inverse document frequency of a tidy text dataset to the dataset</i>
-------------	---

---

**Description**

Calculate and bind the term frequency and inverse document frequency of a tidy text dataset, along with the product, tf-idf, to the dataset. Each of these values are added as columns. This function supports non-standard evaluation through the tidyeval framework.

**Usage**

```
bind_tf_idf(tbl, term, document, n)
```

**Arguments**

tbl	A tidy text dataset with one-row-per-term-per-document
term	Column containing terms as string or symbol
document	Column containing document IDs as string or symbol
n	Column containing document-term counts as string or symbol

**Details**

The arguments `term`, `document`, and `n` are passed by expression and support [quasiquote](#); you can unquote strings and symbols.

If the dataset is grouped, the groups are ignored but are retained.

The dataset must have exactly one row per document-term combination for this to work.

**Examples**

```
library(dplyr)
library(janeaustenr)

book_words <- austen_books() %>%
  unnest_tokens(word, text) %>%
  count(book, word, sort = TRUE) %>%
  ungroup()

book_words

# find the words most distinctive to each document
book_words %>%
  bind_tf_idf(word, book, n) %>%
  arrange(desc(tf_idf))
```

---

cast_sparse	<i>Create a sparse matrix from row names, column names, and values in a table.</i>
-------------	--

---

**Description**

This function supports non-standard evaluation through the `tidyeval` framework.

**Usage**

```
cast_sparse(data, row, column, value, ...)
```

**Arguments**

<code>data</code>	A <code>tbl</code>
<code>row</code>	Column name to use as row names in sparse matrix, as string or symbol
<code>column</code>	Column name to use as column names in sparse matrix, as string or symbol
<code>value</code>	Column name to use as sparse matrix values (default 1) as string or symbol
<code>...</code>	Extra arguments to pass on to <a href="#">sparseMatrix</a>

## Details

Note that `cast_sparse` ignores groups in a grouped `tbl_df`. The arguments `row`, `column`, and `value` are passed by expression and support [quasiquote](#); you can unquote strings and symbols.

## Value

A sparse Matrix object, with one row for each unique value in the `row` column, one column for each unique value in the `column` column, and with as many non-zero values as there are rows in `data`.

## Examples

```
dat <- data.frame(a = c("row1", "row1", "row2", "row2", "row2"),
                 b = c("col1", "col2", "col1", "col3", "col4"),
                 val = 1:5)

cast_sparse(dat, a, b)

cast_sparse(dat, a, b, val)
```

---

cast_tdm	<i> Casting a data frame to a DocumentTermMatrix, TermDocumentMatrix, or dfm </i>
----------	---

---

## Description

This turns a "tidy" one-term-per-document-per-row data frame into a `DocumentTermMatrix` or `TermDocumentMatrix` from the `tm` package, or a `dfm` from the `quanteda` package. These functions support non-standard evaluation through the `tidyeval` framework. Groups are ignored.

## Usage

```
cast_tdm(data, term, document, value, weighting = tm::weightTf, ...)

cast_dtm(data, document, term, value, weighting = tm::weightTf, ...)

cast_dfm(data, document, term, value, ...)
```

## Arguments

<code>data</code>	Table with one-term-per-document-per-row
<code>term</code>	Column containing terms as string or symbol
<code>document</code>	Column containing document IDs as string or symbol
<code>value</code>	Column containing values as string or symbol
<code>weighting</code>	The weighting function for the DTM/TDM (default is term-frequency, effectively unweighted)
<code>...</code>	Extra arguments passed on to <a href="#">sparseMatrix</a>

**Details**

The arguments `term`, `document`, and `value` are passed by expression and support [quasiquote](#); you can unquote strings and symbols.

---

corpus_tidiers	<i>Tidiers for a corpus object from the <code>quanteda</code> package</i>
----------------	---

---

**Description**

Tidy a corpus object from the `quanteda` package. `tidy` returns a `tbl_df` with one-row-per-document, with a `text` column containing the document's text, and one column for each document-level metadata. `glance` returns a one-row `tbl_df` with corpus-level metadata, such as source and created. For Corpus objects from the `tm` package, see [tidy.Corpus](#).

**Usage**

```
## S3 method for class 'corpus'
tidy(x, ...)

## S3 method for class 'corpus'
glance(x, ...)
```

**Arguments**

<code>x</code>	A Corpus object, such as a <code>VCorpus</code> or <code>PCorpus</code>
<code>...</code>	Extra arguments, not used

**Details**

For the most part, the `tidy` output is equivalent to the "documents" data frame in the corpus object, except that it is converted to a `tbl_df`, and `texts` column is renamed to `text` to be consistent with other uses in `tidytext`.

Similarly, the `glance` output is simply the "metadata" object, with `NULL` fields removed and turned into a one-row `tbl_df`.

**Examples**

```
if (requireNamespace("quanteda", quietly = TRUE)) {
  data("data_corpus_inaugural", package = "quanteda")

  data_corpus_inaugural

  tidy(data_corpus_inaugural)
}
```

---

dictionary\_tidiers      *Tidy dictionary objects from the quanteda package*

---

### Description

Tidy dictionary objects from the quanteda package

### Usage

```
## S3 method for class 'dictionary2'
tidy(x, regex = FALSE, ...)
```

### Arguments

x	A dictionary object
regex	Whether to turn dictionary items from a glob to a regex
...	Extra arguments, not used

### Value

A data frame with two columns: category and word.

---

get\_sentiments      *Get a tidy data frame of a single sentiment lexicon*

---

### Description

Get specific sentiment lexicons in a tidy format, with one row per word, in a form that can be joined with a one-word-per-row dataset. Each of these comes from the included [sentiments](#) data frame, but this performs the filtering for a specific lexicon, and removes columns that are not used in that lexicon.

### Usage

```
get_sentiments(lexicon = c("afinn", "bing", "nrc", "loughran"))
```

### Arguments

lexicon	The sentiment lexicon to retrieve; either "afinn", "bing", "nrc", or "loughran"
---------	---

### Value

A `tbl_df` with a word column, and either a sentiment column (if lexicon is not "afinn") or a numeric score column (if lexicon is "afinn").

## Examples

```
library(dplyr)
get_sentiments("afinn")
get_sentiments("bing")
```

---

get_stopwords	<i>Get a tidy data frame of a single stopword lexicon</i>
---------------	---

---

## Description

Get a specific stop word lexicon via the **stopwords** packages's [stopwords](#) function, in a tidy format with one word per row.

## Usage

```
get_stopwords(language = "en", source = "snowball")
```

## Arguments

language	The language of the stopword lexicon specified as a two-letter ISO code, such as "es", "de", or "fr". Default is "en" for English. Use <a href="#">stopwords_getlanguages</a> from <b>stopwords</b> to see available languages.
source	The source of the stopword lexicon specified. Default is "snowball". Use <a href="#">stopwords_getsources</a> from <b>stopwords</b> to see available sources.

## Value

A tibble with two columns, word and lexicon. The parameter lexicon is "quanteda" in this case.

## Examples

```
library(dplyr)
get_stopwords()
get_stopwords(source = "smart")
get_stopwords("es", "snowball")
get_stopwords("ru", "snowball")
```

lda\_tidiers

*Tidiers for LDA objects from the topicmodels package***Description**

Tidy the results of a Latent Dirichlet Allocation.

**Usage**

```
## S3 method for class 'LDA'
tidy(x, matrix = c("beta", "gamma"), log = FALSE, ...)

## S3 method for class 'LDA'
augment(x, data, ...)

## S3 method for class 'LDA'
glance(x, ...)
```

**Arguments**

<code>x</code>	An LDA (or LDA_VEM) object from the topicmodels package
<code>matrix</code>	Whether to tidy the beta (per-term-per-topic, default) or gamma (per-document-per-topic) matrix
<code>log</code>	Whether beta/gamma should be on a log scale, default FALSE
<code>...</code>	Extra arguments, not used
<code>data</code>	For augment, the data given to the LDA function, either as a DocumentTermMatrix or as a tidied table with "document" and "term" columns

**Value**

`tidy` returns a tidied version of either the beta or gamma matrix.

If `matrix == "beta"` (default), returns a table with one row per topic and term, with columns

**topic** Topic, as an integer

**term** Term

**beta** Probability of a term generated from a topic according to the multinomial model

If `matrix == "gamma"`, returns a table with one row per topic and document, with columns

**topic** Topic, as an integer

**document** Document name or ID

**gamma** Probability of topic given document

`augment` returns a table with one row per original document-term pair, such as is returned by [tdm\\_tidiers](#):



**document** Name of document (if present), or index

**term** Term

**.topic** Topic assignment

If the data argument is provided, any columns in the original data are included, combined based on the document and term columns.

glance always returns a one-row table, with columns

**iter** Number of iterations used

**terms** Number of terms in the model

**alpha** If an LDA\_VEM, the parameter of the Dirichlet distribution for topics over documents

## Examples

```
if (requireNamespace("topicmodels", quietly = TRUE)) {
  set.seed(2016)
  library(dplyr)
  library(topicmodels)

  data("AssociatedPress", package = "topicmodels")
  ap <- AssociatedPress[1:100, ]
  lda <- LDA(ap, control = list(alpha = 0.1), k = 4)

  # get term distribution within each topic
  td_lda <- tidy(lda)
  td_lda

  library(ggplot2)

  # visualize the top terms within each topic
  td_lda_filtered <- td_lda %>%
    filter(beta > .004) %>%
    mutate(term = reorder(term, beta))

  ggplot(td_lda_filtered, aes(term, beta)) +
    geom_bar(stat = "identity") +
    facet_wrap(~ topic, scales = "free") +
    theme(axis.text.x = element_text(angle = 90, size = 15))

  # get classification of each document
  td_lda_docs <- tidy(lda, matrix = "gamma")
  td_lda_docs

  doc_classes <- td_lda_docs %>%
    group_by(document) %>%
    top_n(1) %>%
    ungroup()

  doc_classes
```

```

# which were we most uncertain about?
doc_classes %>%
  arrange(gamma)
}

```

---

mallet\_tidiers

*Tidiers for Latent Dirichlet Allocation models from the mallet package*


---

## Description

Tidy LDA models fit by the mallet package, which wraps the Mallet topic modeling package in Java. The arguments and return values are similar to [lda\\_tidiers](#).

## Usage

```

## S3 method for class 'jobjRef'
tidy(x, matrix = c("beta", "gamma"), log = FALSE,
     normalized = TRUE, smoothed = TRUE, ...)

## S3 method for class 'jobjRef'
augment(x, data, ...)

```

## Arguments

x	A jobjRef object, of type RTopicModel, such as created by <a href="#">MalletLDA</a> .
matrix	Whether to tidy the beta (per-term-per-topic, default) or gamma (per-document-per-topic) matrix.
log	Whether beta/gamma should be on a log scale, default FALSE
normalized	If true (default), normalize so that each document or word sums to one across the topics. If false, values will be integers representing the actual number of word-topic or document-topic assignments.
smoothed	If true (default), add the smoothing parameter to each to avoid any values being zero. This smoothing parameter is initialized as <code>alpha.sum</code> in <a href="#">MalletLDA</a> .
...	Extra arguments, not used
data	For augment, the data given to the LDA function, either as a DocumentTermMatrix or as a tidied table with "document" and "term" columns.

## Details

Note that the LDA models from [MalletLDA](#) are technically a special case of S4 objects with class jobjRef. These are thus implemented as jobjRef tidiers, with a check for whether the toString output is as expected.

## Value

augment must be provided a data argument containing one row per original document-term pair, such as is returned by [tdm\\_tidiers](#), containing columns document and term. It returns that same data with an additional column .topic with the topic assignment for that document-term combination.

## See Also

[lda\\_tidiers](#), [mallet.doc.topics](#), [mallet.topic.words](#)

## Examples

```
## Not run:
library(mallet)
library(dplyr)

data("AssociatedPress", package = "topicmodels")
td <- tidy(AssociatedPress)

# mallet needs a file with stop words
tmp <- tempfile()
writeLines(stop_words$word, tmp)

# two vectors: one with document IDs, one with text
docs <- td %>%
  group_by(document = as.character(document)) %>%
  summarize(text = paste(rep(term, count), collapse = " "))

docs <- mallet.import(docs$document, docs$text, tmp)

# create and run a topic model
topic_model <- MalletLDA(num.topics = 4)
topic_model$loadDocuments(docs)
topic_model$train(20)

# tidy the word-topic combinations
td_beta <- tidy(topic_model)
td_beta

# Examine the four topics
td_beta %>%
  group_by(topic) %>%
  top_n(8, beta) %>%
  ungroup() %>%
  mutate(term = reorder(term, beta)) %>%
  ggplot(aes(term, beta)) +
  geom_col() +
  facet_wrap(~ topic, scales = "free") +
  coord_flip()

# find the assignments of each word in each document
assignments <- augment(topic_model, td)
```

assignments

## End(Not run)

---

nma\_words

*English negators, modals, and adverbs*

---

### Description

English negators, modals, and adverbs, as a data frame. A few of these entries are two-word phrases instead of single words.

### Usage

nma\_words

### Format

A data frame with 44 rows and 2 variables:

**word** An English word or bigram

**modifier** The modifier type for word, either "negator", "modal", or "adverb"

### Source

<http://saifmohammad.com/WebPages/SCL.html#NMA>

---

parts\_of\_speech

*Parts of speech for English words from the Moby Project*

---

### Description

Parts of speech for English words from the Moby Project by Grady Ward. Words with non-ASCII characters and items with a space have been removed.

### Usage

parts\_of\_speech

### Format

A data frame with 205,985 rows and 2 variables:

**word** An English word

**pos** The part of speech of the word. One of 13 options, such as "Noun", "Adverb", "Adjective"

## Details

Another dataset of English parts of speech, available only for non-commercial use, is available as part of SUBTLEXus at <https://www.ugent.be/pp/experimentele-psychologie/en/research/documents/subtlexus/>.

## Source

<https://archive.org/details/mobypartofspeech03203gut>

## Examples

```
library(dplyr)

parts_of_speech

parts_of_speech %>%
  count(pos, sort = TRUE)
```

---

sentiments

*Sentiment lexicons from three sources*

---

## Description

Three lexicons for sentiment analysis are combined here in a tidy data frame. The lexicons are the NRC Emotion Lexicon from Saif Mohammad and Peter Turney, the sentiment lexicon from Bing Liu and collaborators, of Finn Arup Nielsen, and of Tim Loughran and Bill Loughran. Words with non-ASCII characters were removed from the lexicons.

## Usage

```
sentiments
```

## Format

A data frame with 27,314 rows and 4 variables:

**word** An English word

**sentiment** A sentiment whose possible values depend on the lexicon. The "afinn" lexicon has no sentiment category (all are NA), and each of the others can be "positive" or "negative". The NRC lexicon can also be "anger", "anticipation", "disgust", "fear", "joy", "sadness", "surprise", or "trust", and the Loughran lexicon can also be "litigious", "uncertainty", "constraining", and "superfluous".

**lexicon** The source of the sentiment for the word. One of either "nrc", "bing", or "AFINN".

**score** A numerical score for the sentiment. This value is NA for the Bing and NRC lexicons, and runs between -5 and 5 for the AFINN lexicon.

## Details

Note that the loughran lexicon is best suited for financial text, (e.g. where words like "share" is not necessarily positive, and "liability" not necessarily negative).

## Source

- <http://saifmohammad.com/WebPages/lexicons.html>
- <https://www.cs.uic.edu/~liub/FBS/sentiment-analysis.html>
- [http://www2.imm.dtu.dk/pubdb/views/publication\\_details.php?id=6010](http://www2.imm.dtu.dk/pubdb/views/publication_details.php?id=6010)
- [http://www3.nd.edu/~mcdonald/Word\\_Lists.html](http://www3.nd.edu/~mcdonald/Word_Lists.html)

---

stm\_tidiers

*Tidiers for Structural Topic Models from the stm package*

---

## Description

Tidy topic models fit by the stm package. The arguments and return values are similar to [lda\\_tidiers](#).

## Usage

```
## S3 method for class 'STM'
tidy(x, matrix = c("beta", "gamma", "theta"), log = FALSE,
     document_names = NULL, ...)

## S3 method for class 'STM'
augment(x, data, ...)

## S3 method for class 'STM'
glance(x, ...)
```

## Arguments

x	An STM fitted model object from the stm package.
matrix	Whether to tidy the beta (per-term-per-topic, default) or gamma/theta (per-document-per-topic) matrix. The stm package calls this the theta matrix, but other topic modeling packages call this gamma.
log	Whether beta/gamma/theta should be on a log scale, default FALSE
document_names	Optional vector of document names for use with per-document-per-topic tidying
...	Extra arguments, not used
data	For augment, the data given to the stm function, either as a dfm from quanteda or as a tidied table with "document" and "term" columns

**Value**

`tidy` returns a tidied version of either the beta or gamma matrix.

`augment` must be provided a data argument, either a dfm from `quanteda` or a table containing one row per original document-term pair, such as is returned by `tdm_tidiers`, containing columns `document` and `term`. It returns that same data as a table with an additional column `.topic` with the topic assignment for that document-term combination.

`glance` always returns a one-row table, with columns

**k** Number of topics in the model

**docs** Number of documents in the model

**terms** Number of terms in the model

**iter** Number of iterations used

**alpha** If an LDA model, the parameter of the Dirichlet distribution for topics over documents

**See Also**

[lda\\_tidiers](#)

If `matrix == "beta"` (default), returns a table with one row per topic and term, with columns

**topic** Topic, as an integer

**term** Term

**beta** Probability of a term generated from a topic according to the structural topic model

If `matrix == "gamma"`, returns a table with one row per topic and document, with columns

**topic** Topic, as an integer

**document** Document name (if given in vector of `document_names`) or ID as an integer

**gamma** Probability of topic given document

**Examples**

```
## Not run:
if (requireNamespace("stm", quietly = TRUE)) {
  library(dplyr)
  library(ggplot2)
  library(stm)
  library(janeaustenr)

  austen_sparse <- austen_books() %>%
    unnest_tokens(word, text) %>%
    anti_join(stop_words) %>%
    count(book, word) %>%
    cast_sparse(book, word, n)
  topic_model <- stm(austen_sparse, K = 12, verbose = FALSE, init.type = "Spectral")

  # tidy the word-topic combinations
  td_beta <- tidy(topic_model)
```

```

td_beta

# Examine the topics
td_beta %>%
  group_by(topic) %>%
  top_n(10, beta) %>%
  ungroup() %>%
  ggplot(aes(term, beta)) +
  geom_col() +
  facet_wrap(~ topic, scales = "free") +
  coord_flip()

# tidy the document-topic combinations, with optional document names
td_gamma <- tidy(topic_model, matrix = "gamma",
                 document_names = rownames(austen_sparse))
td_gamma

}

## End(Not run)

```

---

stop\_words

*Various lexicons for English stop words*


---

### Description

English stop words from three lexicons, as a data frame. The snowball and SMART sets are pulled from the tm package. Note that words with non-ASCII characters have been removed.

### Usage

```
stop_words
```

### Format

A data frame with 1149 rows and 2 variables:

**word** An English word

**lexicon** The source of the stop word. Either "onix", "SMART", or "snowball"

### Source

- <http://www.lextek.com/manuals/onix/stopwords1.html>
- <http://www.jmlr.org/papers/volume5/lewis04a/lewis04a.pdf>
- <http://snowball.tartarus.org/algorithms/english/stop.txt>



---

tdm_tidiers	<i>Tidy DocumentTermMatrix, TermDocumentMatrix, and related objects from the tm package</i>
-------------	---

---

### Description

Tidy a DocumentTermMatrix or TermDocumentMatrix into a three-column data frame: term{ }, and value (with zeros missing), with one-row-per-term-per-document.

### Usage

```
## S3 method for class 'DocumentTermMatrix'
tidy(x, ...)

## S3 method for class 'TermDocumentMatrix'
tidy(x, ...)

## S3 method for class 'dfm'
tidy(x, ...)

## S3 method for class 'dfmSparse'
tidy(x, ...)

## S3 method for class 'simple_triplet_matrix'
tidy(x, row_names = NULL, col_names = NULL,
     ...)
```

### Arguments

x	A DocumentTermMatrix or TermDocumentMatrix object
...	Extra arguments, not used
row_names	Specify row names
col_names	Specify column names

### Examples

```
if (requireNamespace("topicmodels", quietly = TRUE)) {
  data("AssociatedPress", package = "topicmodels")
  AssociatedPress

  tidy(AssociatedPress)
}
```

---

tidy.Corpus

*Tidy a Corpus object from the tm package*


---

### Description

Tidy a Corpus object from the tm package. Returns a data frame with one-row-per-document, with a text column containing the document's text, and one column for each local (per-document) metadata tag. For corpus objects from the quanteda package, see [tidy.corpus](#).

### Usage

```
## S3 method for class 'Corpus'
tidy(x, collapse = "\n", ...)
```

### Arguments

x	A Corpus object, such as a VCorpus or PCorpus
collapse	A string that should be used to collapse text within each corpus (if a document has multiple lines). Give NULL to not collapse strings, in which case a corpus will end up as a list column if there are multi-line documents.
...	Extra arguments, not used

### Examples

```
library(dplyr) # displaying tbl_dfs

if (requireNamespace("tm", quietly = TRUE)) {
  library(tm)
  #' # tm package examples
  txt <- system.file("texts", "txt", package = "tm")
  ovid <- VCorpus(DirSource(txt, encoding = "UTF-8"),
                 readerControl = list(language = "lat"))

  ovid
  tidy(ovid)

  # choose different options for collapsing text within each
  # document
  tidy(ovid, collapse = "")$text
  tidy(ovid, collapse = NULL)$text

  # another example from Reuters articles
  reut21578 <- system.file("texts", "crude", package = "tm")
  reuters <- VCorpus(DirSource(reut21578),
                   readerControl = list(reader = readReut21578XMLasPlain))
  reuters

  tidy(reuters)
```

}

---

tidytext*tidytext: Text Mining using 'dplyr', 'ggplot2', and Other Tidy Tools*

---

**Description**

This package implements tidy data principles to make many text mining tasks easier, more effective, and consistent with tools already in wide use.

**Details**

Much of the infrastructure needed for text mining with tidy data frames already exists in packages like dplyr, broom, tidyr and ggplot2.

In this package, we provide functions and supporting data sets to allow conversion of text to and from tidy formats, and to switch seamlessly between tidy tools and existing text mining packages.

To learn more about tidytext, start with the vignettes: `browseVignettes(package = "tidytext")`

---

tidy\_triplet*Utility function to tidy a simple triplet matrix*

---

**Description**

Utility function to tidy a simple triplet matrix

**Usage**

```
tidy_triplet(x, triplets, row_names = NULL, col_names = NULL)
```

**Arguments**

x	Object with rownames and colnames
triplets	A data frame or list of i, j, x
row_names	rownames, if not gotten from rownames(x)
col_names	colnames, if not gotten from colnames(x)

---

unnest_tokens	<i>Split a column into tokens using the tokenizers package</i>
---------------	--

---

### Description

Split a column into tokens using the tokenizers package, splitting the table into one-token-per-row. This function supports non-standard evaluation through the tidyeval framework.

### Usage

```
unnest_tokens(tbl, output, input, token = "words", format = c("text", "man",
  "latex", "html", "xml"), to_lower = TRUE, drop = TRUE, collapse = NULL,
  ...)
```

### Arguments

tbl	A data frame
output	Output column to be created as string or symbol.
input	Input column that gets split as string or symbol. The output/input arguments are passed by expression and support <a href="#">quasiquotation</a> ; you can unquote strings and symbols.
token	Unit for tokenizing, or a custom tokenizing function. Built-in options are "words" (default), "characters", "ngrams", "skip_ngrams", "sentences", "lines", "paragraphs", and "regex". If a function, should take a character vector and return a list of character vectors of the same length.
format	Either "text", "man", "latex", "html", or "xml". If not text, this uses the hunspell tokenizer, and can tokenize only by "word"
to_lower	Whether to turn column lowercase.
drop	Whether original input column should get dropped. Ignored if the original input and new output column have the same name.
collapse	Whether to combine text with newlines first in case tokens (such as sentences or paragraphs) span multiple lines. If NULL, collapses when token method is "ngrams", "skip_ngrams", "sentences", "lines", "paragraphs", or "regex".
...	Extra arguments passed on to the tokenizer, such as n and k for "ngrams" and "skip_ngrams" or pattern for "regex".

### Details

If the unit for tokenizing is ngrams, skip\_ngrams, sentences, lines, paragraphs, or regex, the entire input will be collapsed together before tokenizing.

If format is anything other than "text", this uses the [hunspell\\_parse](#) tokenizer instead of the tokenizers package. This does not yet have support for tokenizing by any unit other than words.

**Examples**

```
library(dplyr)
library(janeaustenr)

d <- data_frame(txt = prideprejudice)
d

d %>%
  unnest_tokens(word, txt)

d %>%
  unnest_tokens(sentence, txt, token = "sentences")

d %>%
  unnest_tokens(ngram, txt, token = "ngrams", n = 2)

d %>%
  unnest_tokens(ngram, txt, token = "skip_ngrams", n = 4, k = 2)

d %>%
  unnest_tokens(chapter, txt, token = "regex", pattern = "Chapter [\\d]")

# custom function
d %>%
  unnest_tokens(word, txt, token = stringr::str_split, pattern = " ")

# tokenize HTML
h <- data_frame(row = 1:2,
                text = c("<h1>Text <b>is</b>", "<a href='example.com'>here</a>"))

h %>%
  unnest_tokens(word, text, format = "html")
```

# Index

## \*Topic **datasets**

- nma\_words, 12
  - parts\_of\_speech, 12
  - sentiments, 13
  - stop\_words, 16
- augment.jobRef (mallet\_tidiers), 10
- augment.LDA (lda\_tidiers), 8
- augment.STM (stm\_tidiers), 14
- bind\_tf\_idf, 2
- cast\_dfm (cast\_tdm), 4
- cast\_dtm (cast\_tdm), 4
- cast\_sparse, 3
- cast\_tdm, 4
- corpus\_tidiers, 5
- dictionary\_tidiers, 6
- get\_sentiments, 6
- get\_stopwords, 7
- glance.corpus (corpus\_tidiers), 5
- glance.LDA (lda\_tidiers), 8
- glance.STM (stm\_tidiers), 14
- hunspell\_parse, 20
- lda\_tidiers, 8, 10, 11, 14, 15
- mallet.doc.topics, 11
- mallet.topic.words, 11
- mallet\_tidiers, 10
- MalletLDA, 10
- nma\_words, 12
- parts\_of\_speech, 12
- quasiquoteation, 3–5, 20
- sentiments, 6, 13
- sparseMatrix, 3, 4
- stm\_tidiers, 14
- stop\_words, 16
- stopwords, 7
- stopwords\_getlanguages, 7
- stopwords\_getsources, 7
- tdm\_tidiers, 8, 11, 15, 17
- tidy.Corporus, 5, 18
- tidy.corpus, 18
- tidy.corpus (corpus\_tidiers), 5
- tidy.dfm (tdm\_tidiers), 17
- tidy.dfmSparse (tdm\_tidiers), 17
- tidy.dictionary2 (dictionary\_tidiers), 6
- tidy.DocumentTermMatrix (tdm\_tidiers), 17
- tidy.jobRef (mallet\_tidiers), 10
- tidy.LDA (lda\_tidiers), 8
- tidy.simple\_triplet\_matrix (tdm\_tidiers), 17
- tidy.STM (stm\_tidiers), 14
- tidy.TermDocumentMatrix (tdm\_tidiers), 17
- tidy\_triplet, 19
- tidytext, 19
- tidytext-package (tidytext), 19
- unnest\_tokens, 20